



Serving the Vending and Refreshment Services Industry

Reply to: Rick Daugherty Phone.: 630.921.8650  
4709 Cross Street  
Downers Grove, IL 60515  
Email: publichealth100@gmail.com

June 29, 2015

[REDACTED]  
Coffee Tree USA, Inc.  
1513 S. Victoria Ave.  
Los Angeles, CA 90019

[REDACTED]  
This letter confirms my visit to Coffee Tree USA, Inc. on 06/18/2015, to re-evaluate your vending machines for continuing compliance with NAMA's *Standard for the Sanitary Design and Construction of Food and Beverage Vending Machines*.

The following machines were re-evaluated during my visit DG-108F3M, DG-808F3M. The design and construction of these machines remain in compliance with NAMA's *Standard for the sanitary Design and construction of Food and beverage Vending Machines*

In addition, the following machine was also evaluated:  
DSK-118-FB

Based on my visit the following items will have to be corrected to obtain NAMA certification:

1. Space between unit and cabinet is in need of sealing, provide a digital photo of sealing method.
2. Provide instructions to Wash-Rinse-Sanitize food contact parts for the operators manual.
3. Install a cover on the cup dispensing turret, provide a photo of the correction.
4. Complete a signed and notarized affidavit.

Please submit your response no later than 09/16/2015.

Feel free to contact me at (630) 921-8650 if you have any questions or I can be of assistance in any way.

Sincerely,



Rick Daugherty, LEHP, RS, MPA  
NAMA Public Health Consultant

pc: Jo Bradshaw NAMA